G R S IX 5]

Previous references
Pol 267-07 83 3-16 B May 1913.
" 230-13 885-9 B Jul 1914 1916.
" 76-14 835,37,44-48 B June 1915
" 230-13 831-4 B Feb 1916 Municipal

Later references
Pol 100-17-1,2 B Nov 17

File No 182-15

Serial Nos 1-3, 7-9

Preserve for 1930

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1-3, 7-9

Part B for September 1916

SUBJECT

Revised estimate involving an extra expenditure of Rs 17393/- over the sanctioned estimate for the supply of water to the Nanjangud town

G.O No 1883-7 dt 14 9 16

Sanctions an increase of Rs 6648/- to the original estimate for the supply of water to the Nanjangud town, the excess being met from the same sources as the cost of the original estimate and states that the estimate for the water supply to the Nanjangud extension may be treated as a separate project

W D 33—GPB—50,000—24 7 16

Mr Jarvis 22 9 16

G R.S 11]

1915 — 16

GENERAL AND REVENUE SECRETARIAT

(Irrl)

NOTES

File No. 182/15

FILE HEADING.

Revised estimates for the water supply of Nanjungud town

From

The Chief Engineer in Mysore

No 473 Dated 19 / 1 / 16 Received 20-1 16

Diary No. 2597 | Enclos | Spare Copies | Serial No 1

BRIEF ABSTRACT OF LETTER.

States that the original estimate for the water supply to Nanjungud town has been revised with a view to extend the water supply to the extension of the town and to meet the cost of other items found necessary during execution and requests to be informed of the ways & means by which the extra expenditure of Rs 17,393 is to be met.

NOTES AND ORDERS

The main cause for the excess is the proposed extension of water supply to Nanjungud Extension. It is stated in the report that the estimate was revised under the orders of the Superintending Engineer. It is not clear whether

Notes—First sheet

G P B—15,000—24 4-09

(2)

G. R. S. 12]

General and Revenue Secretariat. | Mul File No. 182 of 1915-16

Serial No.

this extra provision was made at the instance of the municipality. The extra cost together with the Charges on account of Establishment & Tools & Plant will have to be met from municipal funds. Draft Calling for the Views of the municipal Council is put up (2) Neither the original estimate for Rs 35,653 nor the present revised estimate seems to provide for additional charges on account of "Establ Tools and Plant", It is however being provided for in the Nanjangud Municipal Budget (Vide flag Z)

The draft may be approved

(3) Submit for personal before issue

Revised

(4)

To

2 The Dy Commr, Mysore Dt No 5411 Forwards the estimates received with the above and enquires if the Mul Council are agreeable to bear the extra Charges involved.

2 IV.S.44.

NOTE—Contn sheet

GPB—70 000—17 12 1

(3

G R S 12]

General and Revenue Secretariat | Rel File No 182 of 1915-16

Serial No 3

From

The Deputy Commr Ellpore Dt
No 547 dated 4th mar 1916

Reports that the municipal council of Nanjungud are agreeable to the excess outlay involved by the revision of the estimate but plead inability to meet the entire additional cost and therefore request that a contribution of Rs 5000 may be given from temple funds

(5) The Deputy Commr states that the temple can ill afford to spare any sums towards the water supply scheme It has now contributed Rs. 10,000/-
May the Mysore branch be consulted in the matter or the Chief Engineer be informed that the extra cost will be made available from municipal funds and the municipality asked to provide the additional funds in the budget for 1916-17 if the amount can not be made available during the current year

6) The financial condition of the city for the current year as per sanctioned budget is shown below

Opening balance	35.590
Receipts for 15-16	15 820
Total	51 410
Deduct Expns	16 313
Closing balance	35 097
	20 524
	14 573

7) No dispute

8/3/16

10/3

Ltd

KP

8/3/16

(4

32014

G R. S 12]

General and Revenue Secretariat | Rel File No 182 of 1915—16

Serial No

III

~~KB~~ 13/3

~~Rev~~ Rev Secy 11/3

Ans 13/3

a) Before the draft can be issued, Br VII may be consulted about contribution from temple funds.

Further it may be made clear if the minimum balance ($\frac{1}{8}$th?) will be kept after spending the reqd amount from the closing balance

$\frac{1}{4}$th

~~The~~ estimated balance deducting the grant amount is 618 more than minimum Rs 4395 ~~Ans~~

pers 17

Pty 14/8) (4

Ans 14

Br VII)

10) The Temple has already contributed 10000 Rs and for any further ~~grant~~ contribution from Temple funds

Contn sheet

MUD MUS 17

[G R S 12]

General and Revenue Secretariat | Ml File No 182 of 1915-16

Serial No

The Deputy Commr says that the temple has no funds to spare for this purpose and that there are many other items of works costing large sums to be undertaken In these circumstances it is a point for consideration whether any addl contribution maybe made from Temple funds for this purpose?

11) Submit for orders

15/3/16

12) Note the estimated balance at the end of June

Ja MUS MUS

13) The estimated balance as per Comptrollers figures (obtained informally) at the end of June 15 was as follows (Rs 15 3 16)

In Cash minus Rs 4661-10-8

In paper plus Rs 13 243-13-11

17 3 16

14) There was thus only a net balance of Rs 6243-13-11 at the beginning of the year. Already there has been some extraordinary expenditure in the opening months of the current. The Sr Comr indicates in letter the special ...

NOTE—Contn sheet

Mus 17 3244

R S. 12]

General and Revenue Secretariat | Ind File No 182 of 1915-16

Serial No

expenditure which have been made from the temple funds. The temple can thus spare no funds for

Rev Secy) 21 3 16

(15) Draft may be approved

Above minimum balance

Fin

3/4/16

Fin notes against paras

1st Member

(16) I want to know firstly the sanctions the revised est

(2) Whether enquiry has been made in the words - order as last stated

(3) Why this was not reported

(4) Have the revised ests been sanctioned by proper authority eg Secy of State Secy

(5) Have government found money to carry out the work as suggested by the Council

(6.) Was the necessary maintenance exp been provided for by the Mny

By Govt in P W D

8/4.

Note--Contn sheet

8/4/16

G R S 12]

General and Revenue Secretariat | Ind File No 182 of 1915.

Serial No

Submitted with reference to the queries of the 1st member

1) By Govt in the P W Deptt

2) + 3) Information has to be furnished by the P.W.D

4) The Sanitary Engineer has prepared the Estimate. It does not appear to have been scrutinized by higher authority

5) Govt has not to find money as the whole of the excess cost is proposed to be debited to the municipal Council ~~[illegible]~~ Engineer contain request for a contribution of Rs 5000 from temple funds can not be complied with

6) The municipal budget of Mayuvaram town for 1916-17 has not yet been received

Ips on 4/16

(11—70 000—1-12-1)

G R S 12]

General and Revenue Secretariat | Inl File No. 182 of 1915.

Serial No

No 18) 915
Dated 16-4-16

Forwarded unofficially to the Chief Engineer, Irrigation Dept, with compliments for favour of furnishing information on queries 2 to 4 raised by the Minister in the note.

By order
Nagendra Nath
Forests & Agri. Dept
14/4/16

C I L—0 000—1 12 1

9.

32

R S 12]

General and Revenue Secretariat

File No 182 of 1915-16

Serial No

Memo No 115/P W D Dated the 15th April 1916

(17) Returned to the Secretary to Government, Revenue Department, with compliments.

2. (18) The work connected with the water supply to Nanjangud town was started in June 1914 and the outlay incurred up to end of February 1916 is - - Rs 35,095 against the original estimate of - - - Rs 35,653.

3. (19) The Sanitary Engineer states that the excess anticipated over this estimate was reported to the Superintending Engineer in April 1915.

4. (20) The estimate has been scrutinised by the Superintending Engineer and in this office.

R V Sundaramma
For Chief Engineer of Mysore.

Bangalore,
24th April 1916.

S.S.

(21) 5 Govt has not to find money as the whole excess cost is proposed to be debited to rel funds

(22) 6 The municipality has not provided for the maintenance charge in the budget for 1916-17 although, because maintenance begins to be incurred only after the work is completed, approval of Govt in the P W Dept

No 316/25 11

(23) Submd with reference to the remarks of the Sanitary Engr in the above

28/4/16

NOTE—Contn sheet.

(Memorandum)

C.P.B.—20,000—30-6-15
27/4

General and Revenue Secretariat

Pol File No. 182 of 1915-16

Serial No.

(24) This file may be submitted to the Govern the important principle involved is to that effect that these revised estimates costing such a large sum of Rs are to be allowed to be submitted at the last moment when no discussion have taken place to find the money

(25) It is very rare for the Govt to agree to the estimates - but they are not able to find all the money required

(26) In all such cases should be necessary to definitely lay down that the additional sum is found necessary, government should be forthwith informed to submit a revised estimate

(27) It would appear that this was done when the Fin Dept referred the act a year ago -

(28) There is no go in the first sanctioning the revised estimate before that sanction. Whether this may be can issue in the Mil Dept -

(29) If the Mil Dept could find the money, the estimates may mention they are able to do so

29/4

Serial No

1/5/16

5884
1 5 16

(30) The excess of Rs.17393 over the sanctioned estimates amounting to Rs.35,653 seems to be due to (1) alterations and modifications in the estimates and (2) to the fresh provision for water supply to the extension amounting to Rs.10,745. The excess on the first item is more or less inevitable and may be sanctioned, the extra charge being met from the same sources as the amount involved in the original estimate.

(31) The question of the water supply to the new extension should not have been mixed up with this estimate.

(32) If it is necessary, the extension should be treated as a separate project and put in hand only when the Municipality is able to find the money.

B

(33) 4 8.16

(1st Member) for information - order with issue as above is approved

210
8 8

(34) Sanction to A and B, but I would add the general observations made in my previous

7/8 16

(40/12)

3244

G R. S. 12]

General and Revenue Secretariat. | Irl File No. 182 of 1915-16

Serial No

note by
the suggestion in para 26
Board also add that the
excess caused by the Down
to mistake - cans to nearly
20 for c - the excess
required fullest expl

(35) Draft order accords a 9 8
Submit for approval Hon'ble Member & Down
Rt Hon'ble

(36) Draft Submitted for approval,

KP 12/8/16

Rao 14/8

53/178

Finance Member —

(37) Govt to Down

1082/19.8.16

The draft order approved by the Finance Member
of Council may issue.

9 9 16

20

9 | The Chief Engineer & Comptroller
& Dy Commr Stgs & Hotels Pwd Stgs
& Supt Irrigation Dept

Sanctions an increase of Rs 6 648 to the original
estimate to be met from the same Ser as the
of the original estimate and states that the esti
the water supply to the extent or may be treated
separate proj it

Work—Contn sheet

SPB 70033 17 16 1

(13

207

G R. S 12]

General and Revenue Secretariat.

Ml File No. 182 of 1915-16

Serial No	
7	From The Dy Commr Mysore N° AC 202 LB dated 14 7 16 Forwards for early orders a copy of Sanitary Engineers letter N° 1557 of 8 7 16 re the additional funds required for the water supply of the Nanjangud Town The previous letter of the Dy Commr on the subject was submitted to the Dewan on 1 5 1916 with D N°- 3244 Submitted in continuation K.P 20 7 16 28/7 Under Secy with the Dewan — Please see orders on the links hereto LB 28/7-16

583
27 7 16

Note—Contn. sheet

D 2597

114

— Telegraphic Address —
STATEWORKS

Mysore Public Works Department,
Central Office,

No 473

Camp - Chunchinkatte 19 January 1916
Bangalore

From

Rajasabhabhushana
KARPUR SHRINIVASARAO, Esq, B Sc, L C E, M R A S,
Chief Engineer of Mysore,
BANGALORE

To

D.M.Narasinga Rao, Esquire, B.A.,B.L.,
Secretary to Government,
General Department, Bangalore.

Sir,

I have the honour to state that an estimate for providing water supply to the town of Nanjungud amounting to Rs.35,653 was sanctioned by Government in their order No. 8867-72/M.L.267-07-116 dated the 2nd May 1913. It was also therein ordered that a portion of this cost, viz, Rs.10,000 was to be met from the temple funds, the balance of - - - Rs.25,653 being met by the municipality.

2. A revised estimate for the water supply to the extension of the Nanjungud town also and for other items found necessary while executing the work, has now been prepared and is forwarded herewith. It amounts to Rs.53,046 and the works provided in this estimate are quite necessary The revised estimate amount exceeds the sanctioned amount by Rs.17,393.

GBPM—[illegible] 3 11 15

191

MYSORE P W DEPARTMENT

No

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore

To

Dated Bangalore, *191*

Despatched

Enclosure No

SUBJECT

[illegible]

3. Before taking further action on this, I request you to kindly intimate the ways and means by which this extra expenditure of Rs.17,393 is to be met.

I have the honour to be,

S i r,

Your most obedient servant,

Chief Engineer of Mysore.

* Enclosures:-

1 Report.
1 Estimate for Rs 53046.
1 Sanctioned estimate.
1 Comparative Statement.
7 Plans and tracings.

11.

(16

G R S 26] 28/1

SUBJECT Extra funds required for the Mangalore Water Supply

Diary No of letter replied to 2597

Section Rel
File No 182/15
Serial No 2

General and Revenue Secretariat
( )
, the 191

Encls 1 Revd Sat 1 Nett 1 Sanct Sat 1 Comptr Sat 1 Plans 1 Ann

No 5471
ml 182/15-2
29/1/16

Date of issue 29.1.16

To The Deputy Commissioner Mysore St.

Signed by Mr. A. V. Ramanathan

Sir

I am directed to forward a copy of the Chief Engineers letter no 473 dated 19th January 1916 together with its enclosures in original in the matter of additional funds required for the wat

17

supply
Scheme for the Naugunud
Town and its extension
and to request you
to be so good as to
ascertain very early from the municipal
Council of Naugunud
whether they are agreeable
to meet the excess outlay
of Rs 17,393 as well as
the charges for 'Establishment
and Tools & Plant' thereon
at the usual rate of 17½% & ½%
respectively, and if so
what arrangements they
propose for paying the amount
and report the same to Govt
early=

The plans and estimates may
kindly be returned very early with the report

I have &c

List of enclosures

Copied by

Examined by

Am 25/1
for Secretary to Govt
Rev Deptt

BJ

GIB—90 000—14 2-14

POI
24/1/16

Office of the Deputy Commissioner, Mysore District.

Dated, Mysore 4th March 1916.

D 3244

From

Ind 182-15-3

A.Subramanya Iyer, Esquire., B.A.

Deputy Commissioner,

Mysore District.

To

V.R.Thyagaraja Iyer, Esquire., M A.,

Secretary to the Government of His

Highness the Maharaja of Mysore,

Revenue Department, Bangalore.

Sir,

With reference to your letter No 5471-M1 182-15-2 dated 29th January 1916 calling for the views of the Municipal Council of Nanjangud in the matter of meeting the excess outlay of Rs 17393 &c connected with the water supply project for the Nanjangud Town, I have the honor to enclose herein a copy of the Council's resolution together with that of letter No 348 dated 25th February 1916 from the President of the Municipal Council. It will be seen from the above that the Council are agreeable to the excess outlay and that they express their inability to meet the entire additional - cost of Rs 17393 as well as the charges for "Establishment" and "Tools and Plant" at the usual rate of 17½ and ½ per cent respectively aggregating to Rs 3131/-. The council have therefore proposed that a sum of Rs 5000/- be paid from the funds of the Sree Srookantesvara swami temple towards the above additional expenditure amounting in all to Rs 20,524/- the balance being debited to Municipal funds . The Municipal quta of the cost will have to be debited to the closing balance by an additional grant to the Municipality in the current year The temple has no funds to spare for this purpose The repairs of jewels have been sanctioned. Good roads for Teppotsava are necessary. Revised estimates for repairs to the building have been received. Arrears of Kandayam to the extent of nearly Rs 6000 have to be paid, and many other items of work-

GPB—20,000—17 9-15

19

From The Deputy-Commissioner Mysore District

To The Secretary to the Govt. of Mysore New Delhi

Dated

Despatched

Received 4 3 16

General No 5247

No

Enclosure No 2 + Table & Plan

re Water Supply Project for the Mangalore Town

costing large sums have to be undertaken.

The plans and estimates received with your letter under reply are herewith returanmitted.

I have the honor to be,

Sir,

Your most obedient Servant,

Assistant Commissioner

Deputy Commissioner

Mysore District.

SVS

ABSENT FROM STATION.

Copy of letter No. 348dated 25-2-1916, from the President of the Regulation Municipalities, Nanjangud Sub Division, to the -- Deputy Commissioner, Mysore District

---

Enc to Mel 182-15-3

"Adverting to your Memo No. 2255 dated 7-2-1916 forwarding copy of Revenue Secretary's letter No. 5471/M1 182-15-2 dated 29-1-1916 calling for information as to whether the Municipal Council of Nanjangud are agreeable to meet the excess outlay of Rs.17,393 as well as the charges for "Establishment" and "Tools and Plant" thereon at the usual rate of 17½ and ½ % respectively for the water supply scheme at Nanjangud, and if so what arrangements they propose for paying the amount, I have the honor to submit herewith for favour of information a copy of the resolution - passed in the matter by the Board specially convened on the 20th instant, and to state that they are agreeable to the excess outlay but express their inability to bear the entire cost themselves as it would directly interfere with the other emergent calls on the Municipality and pray that at least a sum of Rs 5000/- may be kindly contributed from the funds of the Sri Srikanteswaraswami Temple in view of the fact that under the original estimate a sum of Rs ten thousand was paid from the same source

In these circumstances, I request that you will be so good as to move the Government for favour of sanction accordingly

The file of records on the subject, ending with No 587 dated 21-2-1916 from the Vice President, together with enclosures, accompanies "

" C O P Y "

For Deputy Commissioner,

Mysore District

G.O. No. 1824-5-3

తేదీ 1916 వి జనవరి పదవ రోజు నాడు 4-30 గంటలకు జరిగిన సమావేశం తరువాత కలెక్టరు గారు కార్యనిర్వాహక అధికారి పదవికి ఎంపిక చేసిన అభ్యర్థుల పేర్లు ఈ క్రింద ఇవ్వబడ్డాయి —

క్రమాంకం	పేరు
1 శ్రీ ఇ. శేషయ్య	1 శ్రీ ఎ. అప్పారావు
2 శ్రీ కె. శ్రీనివాసులు	2 శ్రీ ఎం. జోగిరెడ్డి
3 " ఎం. సుబ్బరాయుడు	3 శ్రీ వి. చక్రపాణి
4 " ఎ. కె. అబ్దుల్ వహీద్	4 " ఎం. చక్రపాణి
5 " ఎ. శివప్రసాద్	కుమారి [illegible]
6 " టి. నారాయణ	6 " బి. పద్మావతి
7 " వి. ఎం. రత్నస్వామి	7 " ఎస్. [illegible]
8 " కె. ఎం. రంగాయుడు	

1 నగదు నిల్వలు తరుగుదల కారణాలతో సహా రూ. 35,653 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 17,393 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 18 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 31,316 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 20,526 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 17,000 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా రూ. 500 లు అగును. మిగిలిన నిల్వలు తరుగుదల కారణాలతో సహా

22

[illegible]

(Sd.) J Rayalu chetty

President

Coby

K. Venkataswamy Naidu

Vice President

21 2 1916

D. 7

A C No 2 LB
1915-16

Ind 1,82-15-7

23

Office of the Deputy Commissioner
Mysore District
Mysore, dated 14th July 1916.

From

K. Matthar, Esq., B.A.,
Deputy Commissioner
Mysore District

To.

L Krishna Rao, Esq.,
Secretary to the Government of Mysore
Revenue Departments

Sir,

In continuation of this office letter No 547 dated 3rd March 1916 re additional grant required for Nanjangud water works I have the honor to enclose herein for the early orders of Government a copy of letter No 1557 dated 8-7-1916 received from the Sanitary-Engineer, Water Supply Division

I have the honor to be
Sir
Your most obedient servant

Matthar
Deputy Commissioner
Mysore District

Ed

1916-17

From

K Meekham, Esqr, B.A.
Deputy Commissioner
Mysore & Kodagu

To

L Krishna Rao, Esqr.
Offg. Secretary to the Government
of the Maharaja of Mysore
Revenue Department
Bangalore

Dated 14 7 16

Despatched 14 7 16

Received

General No A C 102 (AB) / 1915-16
No

Enclosure No. 1

Re :- Additional grant required for Kanyanur Wa works.

Encl to Abst 182-15-7

Copy of letter No 1557 dated 8th July 1916 fro the Sanitary Engineer, Water Supply Division, Bangalore, to the Deputy ---- Commissioner, Mysore

---

With reference to youe letter No 2 (A.B.) dated 6th instant regarding funds required for the Nanjangud Water Works, I have the honour to request that you will be so good as to obtain sanction of Government as early as possible and to place the amount required at the disposal of this Division as the outlay incurred on the work is kept under Miscellaneous Advances as already stated

---

Copy'
[illegible]
for Dy Commr
Mysore Dist

Draft for Approval

Water Supply to Nanjangud

Proceedings of the Government

of H.H.the Maharaja of Mysore

Read:-

Government Order No. 8867-72/ Ml.267-07-16 dated 2nd May 1913 sanctioning a scheme for the water supply of Nanjangud Town.

2. Letter No.473 dated 19th January 1916 from the Chief Engineer forwarding a revised estimate for --- Rs.53,046/- and requesting to be informed of the ways and means by which the extra expenditure of -- Rs.17,393/- has to be met.

3. Letter No.547 dated 4th March 1916 from the Deputy Commissioner, Mysore District on the same subject

---

Order No. 1883-7 ml/82-15-9

Dated Bangalore the 14th Sept. 1916.

The excess of Rs.17,393/- over the sanctioned estimate of ----- Rs.35,653/- is due to-(a) the alterations and modifications in the original estimate costing Rs.6,648 and (b) to the fresh provisions of water supply to the Town Extension amounting to Rs.10,745/-.

2. The increase on the first item which amounts to nearly 20% of the

original estimate is excessive and fuller explanation therefor should have been furnished. ~~As the~~ The excess, however ~~more or less inevitable it~~ is sanctioned and will be met from the same sources as the amount involved in the original estimate.

3. The question of the water suppl to the new extension should not have been mixed up with the revised ---- estimate for the old town. The extension scheme, if found necessary should be treated as a separate project and put in hand only when the Municipality is able to find the --- money.

In all cases where additional expenditure is required, Government desire that a revised est is submitted & their sanction should be ~~revised estimates should be submitted and sanction therefor~~ obtained for ~~forthwith~~ ~~to be submitted a revised estimate~~ without delay

Offg. Secretary to Government,
Revenue Department

To
The Chief Engineer of Mysore with all the plans and estimates
The Deputy Commissioner, Mysore District
The Comptroller, Civil Branch
The Comptroller, P W & Ry Branch
The Superintendent, Muzrai Deptt

B.K.M.